



MAXI TRACTION™

FARM HARD

Firestone

MAXI TRACTION™

Maxi Traction is Firestone's new line of premium tires designed for maximum performance. If you are looking for outstanding durability, traction in a variety of soil conditions, and benefits like AD² technology for your sprayer, combine or tractor, Firestone has you covered. You won't find a better farming tire in any field because Maxi Traction was built for people like you: unstoppable.

Tire Size	Material Number	Load Index	Speed Rating	Design Rim Width (in.)	Overall Width (in.)	Overall Diameter (in.)
420/85R26	008851	138	D	15.00	16.8	54.4
420/90R30	011863	145	D	15.00	17.8	59.6
480/70R30	011861	152	D	15.00	18.0	58.7
VF900/60R32CFO	006311	193	B	30.00	34.5	73.7
VF650/60R34	003187	168	D	23.00	25.8	64.4
800/70R38	006344	173	D	25.00	31.7	81.5
IF800/70R38	008795	179	D	27.00	32.0	81.8
VF800/70R38CFO	006309	193	B	27.00	32.3	82.4
710/70R42	006343	168	D	23.00	28.5	81.8
IF710/70R42	008799	179	D	25.00	29.0	80.8
VF710/70R42CFO	006306	184	B	25.00	29.0	80.8
VF900/60R42	006338	189	D	30.00	34.7	84.0
IF1100/50R42CFO	004454	197	B	38.00	42.4	84.2
620/70R46	008864	167	B	20.00	24.6	79.7
VF620/70R46	004457	179	D	21.00	23.9	79.5
VF800/70R38	004509	187	D	27.00	32.8	81.9
VF710/70R42	004513	184	D	25.00	29.0	80.8
750/65R26	006304	169	B	25.00	29.3	65.2
VF750/65R26CFO	006305	177	B	25.00	29.4	63.9

BRIDGESTONE AMERICAS TIRE OPERATIONS, LLC
AGRICULTURAL TIRE DIVISION



IMPROVED TREAD WEAR*

Longer Tire Life



VERSATILE TRACTION

R-1W Tread Depth



TARGETED LOAD CAPACITY

Matching Application Needs

MAXI TRACTION

Static Loaded Radius (in.)	Rolling Circum. (in.)	Rolling Circum. Index	Bar Height (in.)	Bar Height 32nds	Flat Plate (sq. in.)	Max Load and Inflation (lbs. @ psi)
24.5	162	N/A	1.94	62	227	5200 @ 23
27.1	178	42	2.08	67	251	6400 @ 29
26.7	176	42	1.92	61	244	7850 @ 46
31.8	217	46	2.64	84	745	25400 @ 46
28.1	191	N/A	2.16	69	493	12300 @ 29
35.9	243	48	2.40	77	706	14300 @ 23
35.3	243	48	2.40	77	830	17100 @ 23
35.5	245	48	2.40	77	887	25400 @ 41
36.3	245	48	2.30	74	630	12300 @ 23
36.0	241	48	2.30	74	651	17100 @ 35
35.4	241	48	2.30	74	712	19800 @ 35
36.0	250	N/A	2.64	84	869	22700 @ 29
37.1	251	N/A	2.25	72	979	28300 @ 46
36.1	239	N/A	2.24	72	470	12000 @ 35
35.1	238	N/A	2.24	72	563	17100 @ 35
35.0	245	48	2.40	77	881	21500 @ 29
35.4	241	48	2.30	74	699	19800 @ 35
29.2	192	N/A	2.28	73	467	12800 @ 35
27.5	188	N/A	2.28	73	530	16100 @ 41

Please note dimensions may vary from other patterns. Please consult your dealer before mixing tires of different patterns.

RAT DT


MAXI TRACTION



Worn Tire

Tread Depth

New Tire



MAXI TRACTION ADVANTAGE

Testing has demonstrated that the Maxi Traction tire has an improved wear rate and more even wear compared to the Radial All Traction DT (RAT DT) tire, leading to longer tire life overall.

*Comparison based on Maxi Traction vs. Firestone Radial All Traction DT from internal testing. Results may vary.

FARM HARD

Firestone